

pH modification for silica control P.V. Brady, S.J. Altman, L.K. McGrath, J.L. Krumhansl and H.L. Anderson (Albuquerque, NM, USA)	5901
Application of a unique miniature MBR for screening the biodegradation of brominated flame retardants O. Segev, O.H. Shapiro, A. Brenner ((Beer-Sheva, Israel) and A. Kushmaro (Beer-Sheva, Israel and Singapore)	5909
Overview of sewage sludge minimisation: techniques based on cell lysis-cryptic growth P. Romero, M.D. Coello, J.M. Quiroga (Cádiz) and C.A. Aragón (Seville, Spain).....	5918
A long-term forecast of water demand for a desalinated dependent city: case of Riyadh City in Saudi Arabia I. Almutaz, E. Ali, Y. Khalid and A.H. Ajbar (Riyadh, Saudi Arabia)	5934
Modeling and computer simulation of a reverse osmosis desalination plant— case study of Bousfer plant—Algeria B. Absar and O. Belhamiti (Mostaganem, Algeria).....	5942
Comparative study of advanced oxidation for textile wastewater Y. Du and M. Qiu (Shaoxing, China)	5954
Treatment of colored textile wastewater containing acid dye using electrocoagulation process N.M. Mahmoodi and A. Dalvand (Tehran, Iran)	5959
Photovoltaic solar cells industry wastewater treatment N. Drouiche, F. Djouadi-Belkada, T. Ouslimane, A. Kefai (Algiers, Algeria), J. Fathi (Settat, Morocco) and E. Ahmetovic (Tuzla, Bosnia and Herzegovina)	5965
Coalescing filtration of oily wastewaters: characterization and application of thermal treated, electrospun polystyrene filters M.J.A. Shirazi, S. Bazgir (Tehran, Iran), M.M.A. Shirazi (Omidieh, Iran) and S. Ramakrishna (Singapore)	5974
Statistical optimization of process parameters for ultrafiltration of olive oil mill wastewaters E.O. Akdemir and A. Ozer (Izmir, Turkey).....	5987
Effect of nitrate concentration on performance of pre-denitrification moving bed biofilm reactor system in treating coal gasification wastewater H.-q. Li (Chengdu and Harbin), H.-j. Han and M.-a. Du (Harbin, China).....	5996
Characterization of polymeric membranes for membrane distillation using atomic force microscopy M.M.A. Shirazi (Omidieh), D. Bastani (Tehran), A. Kargari (Mahshahr) and M. Tabatabaei (Karaj, Iran).....	6003
Cr (VI) adsorption from aqueous solution using a surfactant-modified Iranian zeolite: characterization, optimization, and kinetic approach G. Asgari (Hamadan), B. Ramavandi (Bushehr), L. Rasuli (Qazvin) and M. Ahmadi (Ahvaz, Iran)	6009
Biosorption of hexavalent chromium from aqueous solution by six brown macroalgae N. Koutahzadeh, E. Daneshvar, M. Kousha, M.S. Sohrabi (Isfahan, Iran) and A. Bhatnagar (Kalmar, Sweden)	6021
Nitrate removal from tail water by integrated vertical-flow constructed wetlands at a high hydraulic loading rate J.-j. Chang (Wuhan and Kunming), S.-q. Wu (Wuhan and Nanchang), Y. Dai (Wuhan and Beijing), Z.-b. Wu and W. Liang (Wuhan, China).....	6031
Citric acid modified wheat bran as a potential adsorbent for removal of Cu(II) and Malachite Green from aqueous solutions S. Chowdhury and P.D. Saha (Durgapur, India).....	6038
Kinetic and thermodynamic study of removal of o-chlorophenol from potable water using activated carbon prepared by date pits K. Akhrib, F. Kaouah, T. Berrama and Z. Bendjama (Bab-Ezzouar, Algeria).....	6049

A statistical approach for optimization of media components for phenol degradation by <i>Alcaligenes faecalis</i> using Plackett–Burman and response surface methodology S. Mandal, B. Bhunia, A. Kumar, D. Dasgupta, T. Mandal (Durgapur), S. Datta and P. Bhattacharya (Kolkata, India).....	6058
Enhancement of poly(phenyl sulfone) membranes with ZnO nanoparticles Q.F. Alsahy, J.M. Ali (Baghdad, Iraq), A.A. Abbas (Babylon, Iraq), A. Rashed, B. van der Bruggen (Leuven, Belgium) and S. Balta (Galati, Romania)	6070
Synthesis and characterization of Pt–ZnO-hydroxyapatite nanoparticles for photocatalytic degradation of benzene under visible light R.M. Mohamed (Jeddah, Saudi Arabia and Cairo, Egypt) and E. Aazam (Jeddah, Saudi Arabia)	6082
Kinetic, thermodynamic, and equilibrium studies for adsorption of azo reactive dye onto a novel waste adsorbent: charcoal ash İ. Özbay, U. Özdemir, B. Özbay and S. Veli (İzmit, Turkey).....	6091
Removal of reactive dye from textile effluent through submerged filtration using hollow fiber composite nanofiltration membrane X. Zhu, Y. Zheng, Z. Chen, Q. Chen, B. Gao and S. Yu (Hangzhou, China)	6101
Decolorization of organic dye (NBB) using Fe(III)P ₂ W ₁₂ Mo ₅ /H ₂ O ₂ system O. Bechiri, M. Abbessi and M.E.H. Samar (Annaba, Algeria).....	6110
Sorption behavior of freshwater aquatic fern <i>Azolla filiculoides</i> on redwine dye P. Suganthi Rani, R. Lakshmi Priya and M. Velan (Chennai, India)	6115
Surface mechanism of the boron adsorption on alumina in aqueous solutions A. Demetriou, I. Pashalidis, A.V. Nicolaidis (Nicosia, Cyprus) and M.U. Kumke (Potsdam-Golm, Germany)	6130
An experimental investigation on the hydraulic behavior of declining rate filtration M. Eyvaz (Kocaeli), Ö. Akgiray (Istanbul) and E. Yüksel (Kocaeli, Turkey).....	6137
Hydraulic conductivity and removal rate of compacted clays permeated with landfill leachate M.S. Ozcuban, N. Cetinkaya (Istanbul), S.O. Celik (Tekirdağ), G.T. Demirkol, V. Cansiz and N. Tufekci (Istanbul, Turkey)	6148
Occurrences and fate of an antibiotic amoxicillin in extended aeration-based sewage treatment plant in Delhi, India: a case study of emerging pollutant P.K. Mutiyar and A.K. Mittal (New Delhi, India).....	6158

***Selected papers presented at The Fifth Desalination Workshop (IDW 2012)
October 28–31, 2012, Jeju, Korea***

Editorial I.S. Kim	6165
A sustainability strategy of integrated highway wetlands for urban water management in China J. Cui and C. Jiang (Nanjing, China)	6166
Evaluation of chemical cleaning efficiency of organic-fouled SWRO membrane by analyzing filtration resistance J.-W. Nam (Suwon), S.-H. Hong (Gyeonggi-do), J.-Y. Park (Suwon), H.-S. Park (Seoul), H.-S. Kim and A. Jang (Suwon, Korea).....	6172
The effect of the borate/boric acid buffer on the transfer of potassium counter-ion through a cation-exchange membrane: current-voltage characteristics R. Zerdoumi, K. Oulmi and K.-E. Bouhidel (Batna, Algeria)	6179
A fuzzy neural network-based soft sensor for modeling nutrient removal mechanism in a full-scale wastewater treatment system H. Liu (Gyeonggi-Do, Korea), M. Huang (Guangzhou, China) and C. Yoo (Gyeonggi-Do, Korea).....	6184
Fabrication of ultra-thin polyelectrolyte/carbon nanotube membrane by spray-assisted layer-by-layer technique: characterization and its anti-protein fouling properties for water treatment L. Liu, M. Son (Gwangju, Korea), S. Chakraborty, C. Bhattacharjee (Kolkata, India) and H. Choi (Gwangju, Korea)	6194
Settling and dewatering characteristics of mixed microorganisms according to changes in the SRT K.H. Ahn (Gyeonggi-Do and Seoul), K.B. Ko, B.W. Sung (Seoul), J.S. Choi (Gyeonggi-Do), B.-S. Kim (Seoul) and K. Kim (Gyeonggi-Do, Korea).....	6201

Advanced water treatment using a meshed synthetic tube as biological filter media in pilot plant scale K.S. Kim (Gyeonggi-Do), J. Lee (Daejeon), J. Park (Gyeonggi-Do), T. Jun and M. Sajjad (Daejeon, Korea)	6210
Computational study of NF membrane removal in rejection of specific NOM compounds J. Kaewsuk and G.T. Seo (Gyeongnam, Korea)	6218
Plasma production by multi-phase alternating current underwater discharge and its applications to disinfection of micro-organisms S.J. Lee (Daejeon and Pohang), Y.S. Ji (Pohang), Y.J. Kim (Daejeon and Gyeongju-si), B.J. Lee (Daejeon and Pohang), Y.C. Hong (Daejeon) and M. Kim (Gyeongju-si, Korea)	6224
Electrodialysis for desalination of brackish groundwater in coastal areas of Korea S.Y. Choi (Seoul), J.W. Yu (Gyeonggi-do) and J.H. Kweon (Seoul, Korea)	6230
Seawater intake system in Test Bed seawater reverse osmosis (SWRO) project S.W. Woo, B.S. Park, W.N. Lee, Y.H. Park, J.H. Min, S.W. Park, S.N. You, G.J. Jun and Y.J. Baek (Seoul, Korea)	6238
Economic feasibility study for MF system as a pretreatment of SWRO in test bed desalination plant W.-N. Lee, S.-W. Woo, B.-S. Park, J.-J. Lee, J.-H. Min, S.-W. Park, S.-N. You, G.-J. Jun and Y.-J. Baek (Seoul, Korea)	6248
Preliminary experiments on UF pretreatment for SWRO G.M. Yang, D.H. Song, H.-H. Jung (Busan) and J.-H. Kim (Gwangju, Korea)	6259
Pilot-scale nanofiltration system as post-treatment for fertilizer-drawn forward osmosis desalination for direct fertigation J.E. Kim, S. Phuntsho and H.K. Shon (Broadway, Australia)	6265
Performance comparison of thin-film composite forward osmosis membranes W. Fam, S. Phuntsho (Broadway, Australia), J.H. Lee (Suwon-si, Korea) and H.K. Shon (Broadway, Australia)	6274
Occurrence of disinfectant by-products during the sequential disinfection process E. Jang (Daejeon), S.-H. Nam, Y.-J. Choi, E.-J. Kim and T.-M. Hwang (Gyeonggi-Do, Korea)	6281
Analysis on the natural organic matter and disinfection by-products in full-scale advanced water treatment plant and conventional water treatment plant J.-c. Jeon, C.-H. Jo, I. Choi, S.-B. Kwon (Deadeok-gu), S.K.E. Jang (Daejeon) and T.-M. Hwang (Kyonggi-do, Korea)	6288
Experimental comparison of direct contact membrane distillation (DCMD) with vacuum membrane distillation (VMD) J. Koo, J. Han, J. Sohn, S. Lee (Seoul) and T.-M. Hwang (Kyonggi-do, Korea)	6299
Ocean current and temperature analysis using satellite data for the effective operation of SWRO desalination plant in Gijang-gun, Busan, South Korea J.-M. Cho, H.-S. Yoon, A. Jang, J.-H. Cho (Suwon), M.-R. Lee (Seoul), J.-M. Sim (Jeonju) and D.-H. Lee (Suwon, Korea)	6310
Algal bloom—critical to designing SWRO pretreatment and pretreatment as built in Shuwaikh, Kuwait SWRO by Doosan K.S. Park, S.S. Mitra, W.K. Yim and S.W. Lim (Seoul, Korea)	6317
Effect of chemical cleaning conditions on the flux recovery of MF membrane as pretreatment of seawater desalination Y.C. Woo, J.J. Lee, J.S. Oh and H.S. Kim (Kyonggi-do, Korea)	6329
Novel thin nanocomposite RO membranes for chlorine resistance S.G. Kim, D.H. Hyeon, J.H. Chun, B.-H. Chun and S.H. Kim (Seoul, Korea)	6338
Experimental analysis of foulant deposition in submerged hollow fiber membrane modules Y.-J. Kim, T. Yun, J. Sohn and S. Lee (Seoul, Korea)	6346
Effects of enzymatic treatment on the reduction of extracellular polymeric substances (EPS) from biofouled membranes L.H. Kim, S.-J. Kim, C.-M. Kim, M.S. Shin, S. Kook and I.S. Kim (Gwangju, Korea)	6355
Improvement of biohydrogen generation and seawater desalination in a microbial electrodialysis cell by installing the direct proton transfer pathway between the anode and cathode chambers E. Yang (Gwangju, Korea), M.-J. Choi (College Station, TX, USA), K.-Y. Kim and I.S. Kim (Gwangju, Korea)	6362
Study on mass production of aquaporinZ for biomimetic water purification membrane S.-J. Kim (Gwangju, Korea), J. Lee (Gangwon-do, Korea), H.-W. Yu (Tucson, AZ, USA) and I. Kim (Gwangju, Korea)	6370

Characterization of natural organic matters using flow field-flow fractionation and its implication to membrane fouling Y. Ham, Y. Kim, Y. Ju, S. Lee and S. Hong (Seoul, Korea).....	6378
Iron oxide nanoparticle-impregnated powder-activated carbon (IPAC) for NOM removal in MF membrane water treatment system S. Kim (Gyeongnam), J. Kim (Seoul) and G. Seo (Gyeongnam, Korea).....	6392

***Papers presented at the Workshop on Membrane Fouling and Monitoring
21–22 September 2012, Balliol College, University of Oxford, UK***

Workshop on Membrane Fouling and Monitoring: a summary J. Linkhorst (Aachen, Germany) and W.J.T. Lewis (Bath, UK).....	6401
Implementation of membrane bioreactor fouling models based on linear and bilinear autoregressive model structures P. Paul (Uxbridge, UK).....	6407
Membrane fouling characterization in membrane-based septic tank S.J. Khan, S. Ali (Islamabad, Pakistan), C. Visvanathan (Klong Luang, Thailand) and V.L. Pillay (Durban, South Africa).....	6415
Reducing anionic and hydrophobic biofoulants with nonwoven filter media having high flux rate and low pressure drop H. Mowers and R. Komlenic (Mount Holly Springs, PA, USA).....	6420
Author Index.....	6423