

 **Contents**
Volume 52/31–33

| | |
|--|------|
| Closed Circuit Desalination Series no. 8: record saving of RO energy by SWRO-CCD without need of energy recovery | 5717 |
| A. Efraty (Har Adar, Israel) | |
| Geometrical analysis of thermo-compressors in multiple-effects distillation units based on the second law of thermodynamics | 5731 |
| R. Kouhikamali, H. Sadeghi, A. Safari (Rasht) and N. Sharifi (Tehran, Iran) | |
| Comparison of alternative additives used for the mitigation of membrane fouling in membrane bioreactors | 5740 |
| S. Malamis, A. Andreadakis, D. Mamais and C. Noutsopoulos (Athens, Greece) | |
| Assessment of the micellar-enhanced ultrafiltration process with a tight UF membrane for the removal of aniline from water | 5748 |
| B. Tanhaei, M. Pourafshari Chenar, N. Saghatoleslami (Mashhad, Iran), M. Hesampour (Espoo, Finland), M. Kallioinen and M. Mänttäri (Lappeenranta, Finland) | |
| Modeling drinking water chlorination at the breakpoint: I. Derivation of breakpoint reactions | 5757 |
| K. Driss and M. Bouhelassa (Constantine, Algeria) | |
| Modelling drinking water chlorination at the Breakpoint: II. Calculation of the chlorine and chloramine concentrations along municipal pipe | 5769 |
| K. Driss, M. Bouhelassa and S. Boudabous (Constantine, Algeria) | |
| Molecularly imprinted polyethersulfone membranes for the sieving, binding and recognition of bisphenol A | 5781 |
| C. He, W. Zhao, Y. Liu, S. Sun and C. Zhao (Chengdu, China) | |
| Preparation and application of positively charged quaternized chitosan/PEI composite nanofiltration membranes | 5790 |
| R. Han, J. Zeng (Xian), Y. Wang, Q. Chang, X. Zhang and J. Zhou (Jingdezhen, China) | |
| Low-pressure reverse osmosis membrane separation of non-fluorinated and perfluorinated organic compounds in water | 5796 |
| X. Chen, H. Ozaki, R.R. Giri, S. Taniguchi and R. Takanami (Osaka, Japan) | |
| Impact of blended tap water and desalinated seawater on biofilm stability | 5806 |
| J. Zhang, J. Liang, J. Hu, R. Xie, M. Gomez, A. Deng, C.N. Ong and A. Adin (Singapore) | |
| Assessment of feasibility of natural coagulants in turbidity removal and modeling of coagulation process | 5812 |
| M.V. Jadhav (Kopargaon) and Y. Mahajan (Lonere, India) | |
| Water remediation by UV-vis/H ₂ O ₂ process, photo-Fenton-like oxidation, and zeolite ZSM5 | 5822 |
| F. Mendez-Arriaga and R. Almanza (Coyoacán, Mexico) | |
| Electrocoagulation and electro-oxidation treatment for the leachate of oil-drilling mud | 5833 |
| K. Ighilahriz, M. Taleb Ahmed (Algiers, Algeria), H. Djelal (Bruz and Rennes, France) and R. Maachi (Algiers, Algeria) | |
| Role of a constructed wetland to humify effluent organic matter from a wastewater treatment plant | 5840 |
| D. Lee (Gwangju, Korea), J. Cho (Seoul, Korea), K. Chon (Dübendorf, Switzerland), B. Lim (Gwangju, Korea), S. Chakraborty (Rende, Italy) and K. Chon (Gwangju, Korea) | |
| Reliability and economic feasibility of online monitoring of constructed wetlands performance | 5848 |
| M. Garfi (Barcelona), A. Pedescoll (León), J. Carretero, J. Puigagut and J. García (Barcelona, Spain) | |
| Environmentally benevolent urea modified <i>Saccharum bengalense</i> as a high capacity biosorbent for removal of Pb(II) ions: metal uptake modeling and adsorption efficiency | 5856 |
| M.I. Din (Bahawalpur and Lahore), U. Farooq, M. Athar (Lahore) and M.L. Mirza (Bahawalpur, Pakistan) | |
| Equilibrium and kinetics of Pb ²⁺ adsorption from aqueous solution by dendrimer/titania composites | 5869 |
| M.A. Barakat, M.H. Ramadan (Jeddah, Saudi Arabia), J.N. Kuhn and H.L. Woodcock (Tampa, FL, USA) | |
| Adsorption of copper ions from water by different types of natural seed materials | 5876 |
| A. Al Bsoul (Irbid, Jordan), L. Zeatoun (Riyadh, Saudi Arabia), A. Abdelhay (Amman, Jordan) and M. Chiha (Skikda, Algeria) | |

| | |
|---|------|
| Removal of Cu ²⁺ from aqueous solution by Chitosan/Rectorite nanocomposite microspheres T. Feng, J. Wang and X. Shi (Wuhan, China) | 5883 |
| Valorisation of Romanian peat for the removal of some heavy metals from aqueous media L. Bulgariu, C. Balan, D. Bulgariu and M. Macoveanu (Iasi, Romania) | 5891 |
| Physicochemical characterization and mechanism analysis of native and protonated grapefruit peels adsorbing cadmium S. Schiewer (Fairbanks, AK, USA) and M. Iqbal (Fairbanks, AK, USA and Lahore, Pakistan) | 5900 |
| Biosorption of Cr ⁶⁺ from aqueous solution by sugarcane bagasse I.d.I.C. Alomá , I. Rodríguez (Villa Clara, Cuba), M. Calero and G. Blázquez (Granada, Spain) | 5912 |
| Preparation and simultaneous adsorption of an organobentonite towards phenol and Cr(VI) R. Huang, B. Wang (Yangling), B. Yang (Xi'an), D. Zheng and Z. Zhang (Yangling, China)..... | 5923 |
| Chromium removal using poly(4-vinylpyridinium)-modified treated clay salts K.I. Benabadjí and A. Mansri (Tlemcen, Algeria) | 5931 |
| Removal of manganese(II) and iron(II) from synthetic groundwater using potassium permanganate P. Phatai (Nakhon Ratchasima, Thailand), J. Wittayakun (Nakhon Ratchasima and Pathumthani, Thailand), W.-H. Chen (Taichung, Taiwan), C.M. Futalan (Quezon, Philippines), N. Grisdanurak (Pathumthani, Thailand) and C.-C. Kan (Tainan, Taiwan) | 5942 |
| Adsorption profiles of some heavy metal ions from aqueous waste solutions using sodium-doped zirconium titanosilicate B. El-Gammal (Cairo, Egypt) | 5952 |
| Control of barium sulfate crystallization in the presence of additives E. Akyol, Ö. Aras and M. Öner (Istanbul, Turkey) | 5965 |
| Performance studies of phosphorus removal using cross-flow nanofiltration W.P.C. Lee, S.-K. Mah (Bandar Sunway), C.P. Leo (Nibong Tebal), T.Y. Wu and S.-P. Chai (Bandar Sunway, Malaysia) | 5974 |
| Removal of 2,4,6-trinitrotoluene from wastewater using a novel adsorbent polyvinyl alcohol/SiO ₂ H.-X. Zhao and S.-M. Zhang (Taiyuan, China)..... | 5983 |
| Removal of trichloroethylene (TCE) from groundwater by GAC and ZVI T.-h. Song (Changchun) and Y.-j. Gao (Jinzhou, China) | 5990 |
| Assessment of water pollution in the semi-arid region: case watershed Wadi Saida (Northwest of Algeria) H. Mustapha (Oran, Algeria), H. Cherifa, H. Abdelkrim (Saida, Algeria), G. Abdellah and T. Abdelali (Strasbourg, France) | 5995 |
| Impact of cultivation conditions on olive mill wastewater pretreatment by means of <i>Aspergillus niger</i> van Tieghem F. Hanafi, A. Belaoufi, M. Mountadar and O. Assobhei (El Jadida, Morocco) | 6009 |
| Antibacterial activity of bactericidal ceramisite filler immobilized quaternary phosphonium X. Zhang, X. Lü and P. Han (Nanjing, China)..... | 6016 |
| Studies on the physiological and biochemical characteristics of <i>Salicornia brachiata</i> : influence of saline stress due to soaking wastewater of tannery D. Santhanakrishnan, R.K. Perumal, S.V. Kanth, R.R. Jonnalagadda and C. Bangaru (Chennai, India) | 6022 |
| Effectiveness of natural coagulants from non-plant-based sources for water and wastewater treatment — a review P. Saranya, S.T. Ramesh and R. Gandhimathi (Tiruchirappalli, India) | 6030 |
| A bibliometric investigation of research trends on sulfate removal Z. Ye, B. Zhang, Y. Liu, J. Zhang, Z. Wang and H. Bi (Beijing, China) | 6040 |
| Wastewater management in informal settlements: a case study from Algiers N. Aroua and E. Berezowska-Azzag (Algiers, Algeria) | 6050 |
| Rainwater harvesting in Jordan: a case of Royal Pavilion at Amman Airport N. Hadadin (Zarqa), K. Shatanawi and R. Al-Weshah (Amman, Jordan) | 6058 |
| pH-controlled solid-phase enrichment of Mn(II): confirmation of the structure of the extracted ternary Mn(II) complex by single crystal X-ray structure analysis R. Saha, A. Sahana, S. Lohar, A. Banerjee, S. Das and D. Das (Burdwan, India) | 6069 |
| Deposition pattern, effect on nitrogen removal and component analysis of deposited sludge in a carrousel oxidation ditch H. Li, J. Fang-ying, Z. Wei-wei, X. Xuan (Chongqing), C. Rui-hong (Shanghai), L. Na and H. Xiao-ling (Chongqing, China) | 6079 |

| | |
|--|------|
| Adsorption of cationic dye using a low-cost biowaste adsorbent: equilibrium, kinetic, and thermodynamic study R.R. Krishni (Nibong Tebal), K.Y. Foo (Kubang Kerian) and B.H. Hameed (Nibong Tebal, Malaysia) | 6088 |
| Food cannery effluent, pineapple peel as an effective low-cost biosorbent for removing cationic dye from aqueous solutions R.R. Krishni (Nibong Tebal), K.Y. Foo (Kubang Kerian) and B.H. Hameed (Nibong Tebal, Malaysia) | 6096 |
| Adsorptive removal of methylene blue using the natural adsorbent – banana leaves R.R. Krishni (Nibong Tebal), K.Y. Foo (Kubang Kerian) and B.H. Hameed (Nibong Tebal, Malaysia) | 6104 |
| Adsorption of crystal violet onto amino silica: optimization, equilibrium, and kinetic studies H. Yang, D. Zhou, Z. Chang and L. Zhang (Kaifeng, China) | 6113 |
| Removal of textile dye Reactive Black 5 from aqueous solution by adsorption on laccase-modified silica fume E. Kalkan (Oltu), H. Nadaroğlu, N. Celebi (Erzurum) and G. Tozsin (Oltu, Turkey) | 6122 |
| Effects of electric current type and electrode configuration on the removal of Indigo Carmine from aqueous solutions by electrocoagulation in a batch reactor M.S. Secula, L. Zaleschi, C.S. Stan and I. Mămăligă (Iasi, Romania) | 6135 |
| Biosorption of methyl orange from aqueous solutions using cationic surfactant-modified wheat straw in batch mode Y. Su, Y. Jiao, C. Dou and R. Han (Zhengzhou, China) | 6145 |
| Determination of optimum conditions for color and COD removal of Reactive Blue 19 by Fenton oxidation process Ö. Gökkus, F. Çoskun, M. Kocaoğlu and Y.S. Yıldız (Kayseri, Turkey) | 6156 |
| Optimization of medium for decolorization of Congo red by <i>Enterobacter</i> sp. SXCR using response surface methodology S.S. Prasad (Ranchi) and K. Aikat (Durgapur, India) | 6166 |
| Adsorptive removal of basic cationic dyes from aqueous solution by chemically protonated watermelon (<i>Citrullus lanatus</i>) rind biomass R. Lakshmiipathy and N.C. Sarada (Vellore, India) | 6175 |
| Tolerance levels of sulfur-oxidizing micro-organisms to Methylene blue and Remazol black B dyes during sewage sludge bioleaching K. Kumar, M.G. Dastidar and T.R. Sreekrishnan (Hauz Khas, India) | 6185 |
| Optimization of the column studies into the adsorption of basic dye using tartaric acid-treated bagasse L.W. Low, T.T. Teng, N. Morad and B. Azahari (Minden, Malaysia) | 6194 |
| Effect of several reagents on decolorization of methyl orange solution with KIO_4 J. Zhong, J. Li, J. Zeng and F. Zeng (Zigong, China) | 6206 |
| Kinetics and degradation mechanism of clofibric acid and diclofenac in UV photolysis and UV/ H_2O_2 reaction I.-Y. Kim, M.-K. Kim (Seoul, Korea), Y. Yoon, J.-K. Im (Columbia, SC, USA) and K.-D. Zoh (Seoul, Korea) | 6211 |
| Evaluation of removal efficiency of fluoride from aqueous solution using nanosized fluorapatite W. Wei, X. Wang (Nanjing), Y. Wang (Anqing), M. Xu, J. Cui and Z. Wei (Nanjing, China) | 6219 |
| Rapid purification of spent pickling liquor into ferrite by microwave hydrothermal method D. Chen, Y. Guo and Y. Li (Shanghai, China) | 6230 |
| Performance evaluation of advanced Fe/Fe ²⁺ /Fe ³⁺ / H_2O_2 process in the reduction of nitrate and organic matter from aqueous solution B. Karimi, M.-S. Rajaei, A. koulivand and R.D. Cheshmeh Soltani (Arak, Iran) | 6240 |
| The effect of water treatment stages in Al-Wathba water treatment plant in Baghdad city on the bacterial growth (applied study) M.A.I. Al-Hashimi, A.H. Mahdi and R.J. Kadhim (Baghdad, Iraq) | 6249 |
| Possibility of application of kenaf fibers (<i>Hibiscus cannabinus</i> L.) in water hardness reduction E. Gharehchahi, A.H. Mahvi, S.M.T. Shahri (Tehran) and R. Davani (Shiraz, Iran) | 6257 |
| Adsorption of 2-picoline from wastewater by agro coal ash: parametric, kinetic, equilibrium and thermodynamic features G.B. Daware, P.V. Vijay Babu (Raigad) and B. Pangarkar (Nashik, India) | 6263 |
| Corrigendum to “Construction and exploration of pollutant consumption oxygen equivalent treatment costs in municipal wastewater treatment plants” Q. Zhang, H. Huang and B. Fu (Chongqing, China) [Desalination and Water Treatment, Vol. 52/16–18 (2014) pp. 3076–3084] | 6271 |
| Author Index | 6274 |