

Contents
Volume 52/1–3

Use of beach galleries as an intake for future seawater desalination facilities in Florida and globally similar areas T.M. Missimer (Thuwal, Saudi Arabia), R.G. Maliva (Fort Myers, FL, USA), A.H.A. Dehwah (Thuwal, Saudi Arabia) and D. Phelps (Tallahassee, FL, USA).....	1
Solar cogeneration power-desalting plant with assisted fuel M.A. Darwish (Doha, Qatar) and A. Darwish (Cairo, Egypt)	9
Thermal desalination in GCC and possible development M.A. Darwish (Doha, Qatar)	27
Effects of wind and choice of cover material on the yield of a passive solar still J.A. Jones, L.W. Lackey and K.E. Lindsay (Macon, GA, US).....	48
Wastewater treatment of raisins processing factory using micellar-enhanced ultrafiltration M. Afifi, H.A. Golestani, S. Sharifi (Quchan) and S. Kiani (Mashhad, Iran).....	57
COD removal from fruit-juice production wastewater by electrooxidation electrocoagulation and electro-Fenton processes O.T. Can (Bitlis, Turkey)	65
Investigation of technical and economic analysis of electrocoagulation process for the treatment of great and small cattle slaughterhouse wastewater F. Ozyonar and B. Karagozoglu (Sivas, Turkey)	74
Vegetable oil as organic solvent for wastewater treatment in liquid membrane processes S.H. Chang (Penang, Malaysia).....	88
Coagulation-dynamic membrane filtration process at constant flow rate for treating polluted river water C. Xu, X. Wang, X. Dou and B. Gao (Jinan, China)	102
Electrochemical treatment of acrylic dye-bearing textile wastewater: optimization of operating parameters R. Bhatnagar, H. Joshi, I.D. Mall and V.C. Srivastava (Roorkee, India).....	111
Techno-economic investigation of water recovery and whey powder production from whey using UF/RO and FO/RO integrated membrane systems C. Aydiner, U. Sen, S. Topcu, D. Sesli, D. Ekinici, A.D. Altinay, B. Ozbey, D.Y. Koseoglu-Imer and B. Keskinler (Kocaeli, Turkey)	123
Dual-stage nanofiltration seawater desalination: water quality, scaling and energy consumption J. Liu, L. Xie, Z. Wang and J. Yuan (Tianjin, China)	134
Implementation of the effluent limitations based on the best practicable control technology for the petroleum refining industry in Korea J. Kim, H.W. Kim, J.-S. Shin, C.-G. Lee, M. Chung, I.A. Huh, Y.-S. Kim (Incheon, Korea).....	145
Optimization method for the treatment of Tehran petroleum refinery wastewater using activated sludge contact stabilization process S.A. Mirbagheri, M. Ebrahimi and M. Mohammadi (Tehran, Iran).....	156
Dispersion of desalination plant brine discharge under varied hydrodynamic conditions in the south of Gran Canaria E. Portillo, M.R.d.l. Rosa, G. Louzara (Las Palmas), J. Quesada (Santa Cruz), J.M. Ruiz (Murcia) and H. Mendoza (Las Palmas, Spain)	164
Kinetic and equilibrium studies of simultaneous adsorption of monochlorophenols and chlorophenoxy herbicides on activated carbon K. Kuśmierk, M. Sankowska and A. Świątkowski (Warsaw, Poland)	178
Removal of Indosol Turquoise FBL dye from aqueous solution by bagasse, a low cost agricultural waste: batch and column study S. Sadaf, H.N. Bhatti, S. Ali and K.-u. Rehman (Faisalabad, Pakistan).....	184
Synthesis of glutamic acid-modified magnetic corn straw: equilibrium and kinetic studies on methylene blue adsorption Y. Zhao, Y. Xia, H. Yang, Y. Wang and M. Zhao (Yaan, China).....	199
Kinetics, thermodynamics, and equilibrium evaluation of adsorptive removal of methylene blue onto natural illitic clay mineral D. Ozdes (Gumushane), C. Duran, H.B. Senturk, H. Avan and B. Bicer (Trabzon, Turkey)	208

Potential use of shell biomass (<i>Juglans regia</i> L.) for dye removal:	
Relationships between kinetic pseudo-second-order kinetic model parameters and biosorption efficiency F. Deniz (Gaziantep, Turkey)	219
Process development for the removal of hazardous anionic azo dye Congo red from wastewater by using hen feather as potential adsorbent	
A. Mittal, V. Thakur, J. Mittal (Bhopal) and H. Vardhan (Dadri, U.P., India)	227
Effective decolorization of Congo red in aqueous solution by adsorption and photocatalysis using novel magnetic alginate/c-Fe ₂ O ₃ /CdS nanocomposite	
R. Jiang (Zhejiang and Hubei), J. Yao (Zhejiang), H. Zhu (Zhejiang and Hubei), Y. Fu, Y. Guan (Zhejiang), L. Xiao (Hubei) and G. Zeng (Hunan, China)	238
Modeling of disperse dye adsorption onto bamboo-based activated carbon in fixed-bed column	
A.A. Ahmad, A. Idris (Serdang) and B.H. Hameed (Penang, Malaysia)	248
Evaluation of operational parameters from a microfiltration system for indigo blue dye recovery from textile dye effluent	
M.C.S. Amaral, L.S.F. Neta, M. Souza (Belo Horizonte), N. Cerqueira and R.B. de Carvalho (Rio de Janeiro, Brazil)	257
Removal of cobalt ions from water by ion-exchange method	
Y. Aşçı and S. Kaya (Eskişehir, Turkey)	267
Ion-imprinted poly(2-acrylamido-2-methyl-1-propansulfonic acid)/modified silica composite hydrogel for selective and enhanced adsorption of Pb(II) ions	
J. Wang (Nanjing and Yancheng) and X. Li (Nanjing, China)	274
Adsorption of Sn(II) on expanded graphite: kinetic and equilibrium isotherm studies	
M. Yang, Y. Zhao, X. Sun, X. Shao and D. Li (Shanghai, China)	283
The performance of defatted jojoba seeds for the removal of toxic high concentration of the aqueous ferric ion	
M.A. Al-Anber (Al-Karak), Z.A. Al-Anber (Amman), I. Al-Momani (Irbid), F. Al-Momani (Al-Karak) and Q. Abu-Salem (Al-Mafraq, Jordan)	293
Removal of copper (II) and nickel (II) from aqueous media using silica aerogel modified with amino propyl triethoxysilane as an adsorbent: equilibrium, kinetic, and isotherms study	
H. Faghihian (Isfahan), H. Nourmoradi (Ilam) and M. Shokouhi (Isfahan, Iran)	305
Sorption of Pb(II), Cd(II) and Zn(II) performed with the use of carboxyphenylresorcinarene-impregnated Amberlite XAD-4 resin	
I. Zawierucha, J. Kozlowska, C. Kozlowski (Czestochowa) and A. Trochimczuk (Wroclaw, Poland)	314
Removal of Cr(VI) from aqueous solutions by magnetite nanoparticles with different sizes and crystal structure	
O. Linnikov, I. Rodina, V. Shevchenko, I. Medvedeva, M. Uimin, N. Schegoleva, A. Yermakov, V. Platonov and V. Osipov (Ekaterinburg, Russia)	324
Solid phase extraction of uranium removal from underground water, Wadi Naseib, Southwestern Sinai, Egypt	
M.F. Hamza and I.E. El Aassy (Cairo, Egypt)	331
Lead removal from aqueous solution using <i>Ficus Hispida</i> leaves powder	
R. Namdeti and K. Pulipati (Visakhapatnam, India)	339
Solid phase extraction of trace amounts of palladium in environmental water samples on multi-walled carbon nanotubes as a new sorbent: comparison with activated carbon	
N. Tavakkoli, S. Habibollahi and M. Keshavarzianpour (Tehran, Iran)	350
Simultaneous removal of algae and its odor metabolites in raw water by potassium ferrate	
X.-y. Ma, Z.-h. Zhang (Hangzhou), Q.-s. Li (Xiamen), S.-f. Hu, H.-y. Wang, J. Li and J.-m. Chen (Hangzhou, China)	357
Ammonia nitrogen removal from micro-polluted river by permeable reactive barriers: lab-scale study with steel slag and fly ash brick in combination as reactive media	
R. Qiu, F. Cheng, R. Gao and J. Li (Taiyuan, China)	365
Recovery of 4-chlorophenol from an aqueous solution by ELM: stability of the membrane, modeling, and optimization of the extraction using experimental designs	
N. Brahmia, C. Bouasla, F. Ismail and M.E.-H. Samar (Annaba, Algeria)	375
Phosphate removal through crystallization using hydrothermal modified steel slag-based material as seed crystal	
L. Qiu, G. Wang, S. Zhang and K. Huang (Jinan, China)	384

**Papers presented at the DAE–BRNS Biennial Symposium on
Emerging Trends in Separation Science and Technology (SESTEC 2012)
Mumbai, India, 27 February–1 March 2012**

Advanced treatment of refractory sebacic acid wastewater C. Chavhan, P. Tripathi and N.R. Neti (Nagpur, India).....	390
Application of nanofiltration membrane and ethyleneimine oligomer mixture for selective separation of strontium from a simulated nuclear waste solution D. Sujish, G. Mohanakrishnan, B.K. Sharma, C. Anand Babu and K.K. Rajan (Kalpakkam, India).....	401
Application of cavitation in uranium leaching Y.S. Ladola, S. Chowdhury, S.B. Roy and A.B. Pandit (Mumbai, India)	407
The use of artificial neural networks (ANN) for modeling of adsorption of Cr(VI) ions B. Singha, N. Bar and S.K. Das (Kolkata, India)	415
Reduction of uranium (VI to IV) by hydrogenation using Adams' catalyst A. Sahu, T. Vincent, J.G. Shah and P.K. Wattal (Mumbai, India).....	426
Concentration of ammonium diuranate effluent by reverse osmosis and forward osmosis membrane processes A.K. Ghosh, R.C. Bindal, S. Prabhakar and P.K. Tewari (Mumbai, India)	432
Removal of cobalt from aqueous solution using xanthate functionalized dendrimer P. Ilaiyaraaja, A.K.S. Deb, D. Ponraju and B. Venkatraman (Kalpakkam, India)	438
Extraction of plutonium (IV) from aqueous nitrate solutions into ligand modified micellar phase (LMMP) of Tergitol 15-S-9 with tri-octylphosphine oxide and separation by ultrafiltration C.S. Kedari, S.S. Pandit, K.J. Parikh, S.C. Tripathi and P.M. Gandhi (Mumbai, India)	446
Amberlite XAD-2 impregnated with Cyanex272 for zirconium(IV) enrichment followed by spectrophotometric determination M. Karve and J.V. Gholave (Mumbai, India)	452
Studies on sulfonated styrene acrylonitrile and cellulose acetate blend ultrafiltration membranes K.S. Radha, K.H. Shobana, M. Tarun and D. Mohan (Chennai, India)	459
Recovery of plutonium from polymeric waste matrices using supercritical fluid extraction K. Sujatha, K.C. Pitchaiah, N. Sivaraman, K. Nagarajan, T.G. Srinivasan and P.R. Vasudeva Rao (Kalpakkam, India).....	470
Preferential leaching of Sr from mixed (Th/Sr) oxide C.K. Vyas, P.M. Joshirao (Suwon, Korea), R. Shukla, V. Natarajan (Mumbai, India) and V.K. Manchanda (Suwon, Korea)	476
Separations of lanthanides and actinides using novel hybrid ion exchange materials, M(IV) phosphonates P.R. Patel (Surat) and U.V. Chudasama (Gujarat, India).....	481
Dissolution kinetics of zirconium dioxide in nitric acid R.R. Prajapati (Mumbai), T.G. Srinivasan, V. Chandramouli (Chennai) and S.S. Bhagwat (Mumbai, India).....	490
Volumetric and compressibility studies on extractant-diluent system: effect of chain length M.A. Basu (Mumbai), T. Samanta (Burdwan) and D. Das (Mumbai, India)	498
Separation and purification of ¹⁰⁶ Ru from effluent streams of ion-exchange cycle used for Pu purification in PUREX process P. Jagasia, P.S. Dhami, P.W. Naik, S.C. Tripathi and P.M. Gandhi (Mumbai, India)	507
Removal of ruthenium from high-level radioactive liquid waste generated during reprocessing of spent fuel K. Singh, N.L. Sonar, T.P. Valsala, Y. Kulkarni (Tarapur), T. Vincent and A. Kumar (Mumbai, India)	514
Synthesis, characterization, and metal uptake capacity of a new polyaniline and poly(acrylic acid) grafted sodium alginate/gelatin adsorbent T.J. Sudha Vani (Kadapa and Kurnool), N.S. Reddy, P.R. Reddy, K.S.V. Krishna Rao (Kadapa), J. Ramkumar and A.V.R. Reddy (Mumbai, India).....	526
Standardization of sequential separation of naturally occurring radionuclides in drinking water M.G. Nair, D.D. Rao, R.S. Sathyapriya and P.K. Sarkar (Mumbai, India).....	536
Fouling studies of capillary ultrafiltration membrane V.S. Mamtani, K.P. Bhattacharyya, S. Prabhakar and P.K. Tewari (Mumbai, India).....	542
Author Index.....	552