

*Special issue devoted to the Fifth Annual International Conference on
 Challenges in Environmental Science and Engineering – CESE 2012
 Melbourne, Australia, 9–13 September 2012*

Editorial

H.K. Shon (Sydney, Australia), L.D. Nghiem (Wollongong, Australia), S. Kim (Busan, Korea), C. Chiemchaisri (Bangkok, Thailand), V. Aravinthan (Toowoomba, Australia), J. Virkutyte (Cincinnati, OH, USA), L. Shu and V. Jegatheesan (Waurm Ponds, Australia)	555
A preliminary study on the volume reduction of pre-treatment sludge in seawater desalination by forward osmosis S. Liyanaarachchi, V. Jegatheesan, L. Shu (Waurm Ponds), S. Muthukumaran (Melbourne) and K. Baskaran (Waurm Ponds, Australia)	556
Flux behavior and membrane fouling in pressure-assisted forward osmosis T. Yun, Y.-J. Kim, S. Lee, S. Hong (Seoul) and G.I. Kim (Gyeonggi-Do, Korea)	564
Removal of dissolved organics from produced water by forward osmosis R.M. Abousnina and L.D. Nghiem (Wollongong, Australia)	570
Osmotic pressure-driven backwash in a pilot-scale reverse osmosis plant S. Kim (Busan, Korea)	580
Factors governing the rejection of trace organic contaminants by nanofiltration and reverse osmosis membranes H.Q. Dang, L.D. Nghiem and W.E. Price (Wollongong, Australia)	589
Performance of reverse osmosis (RO) for water recovery from permeates of membrane bio-reactor (MBR) S.R. Pandey, V. Jegatheesan, K. Baskaran, L. Shu (Geelong) and S. Muthukumaran (Melbourne, Australia)	600
Effects of transmembrane pressure and ozonation on the reduction of ceramic membrane fouling during water reclamation W. Lee (Gumi), H.-W. Lee (Deajeon and Goyang), J.-S. Choi and H.J. Oh (Goyang, Korea)	612
The effect of polymer concentration and additives of cast solution on performance of polyethersulfone/sulfonated polysulfone blend nanofiltration membranes F. Ma, H. Ye, Y.-Z. Zhang, X.-L. Ding, L.-G. Lin, L. Zhao and H. Li (Tianjin, China)	618
Development of nanofiltration membrane separation prediction system for binary salt solutions N. Ali, N.M. Sidek and I. Abdullah (Kuala Terengganu, Malaysia)	626
Effects of organic and colloidal fouling on the rejection of two pharmaceutically active compounds (PhACs) by nanofiltration processes: role of membrane foulants L.D. Nghiem and C. Espendiller (Wollongong, Australia)	633
Removal of ametryn through nanofiltration and reverse osmosis T. Shurvell, G. Keir, V. Jegatheesan, L. Shu and L. Farago (Geelong, Australia)	643
Comparison of fouling mechanisms in low-pressure membrane (MF/UF) filtration of secondary effluent S. Muthukumaran (Melbourne), J.V. Jegatheesan and K. Baskaran (Geelong, Australia)	650
Development of a new poly silicate ferric coagulant and its application to coagulation-membrane filtration hybrid system in wastewater treatment F. Nateghi, H.K. Shon and H. Khabbaz (Sydney, Australia)	663
Comparison of the performance of ceramic microfiltration and ultrafiltration membranes in the reclamation and reuse of secondary wastewater S. Muthukumaran (Melbourne) and K. Baskaran (Geelong, Australia)	670
Improving urban run-off quality using iron oxide nanoparticles with magnetic field M. Khiadani (Hajian) (Joondalup, Australia, and Isfahan, Iran), M. Foroughi and M.M. Amin (Isfahan, Iran)	678
Treatment of high copper-containing wastewater by producing magnetic material J.-Y. Wu, W.-S. Chen (Tainan), F.-C. Chang (Nan-Tou) and M.-S. Tsai (Taipei, Taiwan)	683
Removal of copper (II) ions from aqueous solutions onto chitosan/carbon nanotubes composite sorbent S.R. Popuri, R. Frederick (St. Michael, Barbados), C.-Y. Chang (Tainan, Taiwan), S.-S. Fang (Nantou, Taiwan), C.-C. Wang (Yung-Kang, Taiwan) and L.-C. Lee (Taichung, Taiwan)	691

Dechlorination of tetrachloroethylene in water using stabilized nanoscale iron and palladized iron particles S.-S. Chen, Y.-C. Huang, J.-Y. Lin and M.-H. Lin (Pingtung, Taiwan)	702
Development of a novel process for arsenic(V) removal from water using Fe-ettringite W.-H. Choi, J.-H. Shim, P.A. Ghorpade and J.-Y. Park (Seoul, Korea)	712
A prototype IT/BF-MBR (inclined tube/biofilm-membrane bioreactor) for high-rise building wastewater recycling C. Ratanatamskul, N. Suksusieng (Bangkok, Thailand) and K. Yamamoto (Tokyo, Japan)	719
Nutrient removal of nursery and municipal wastewater using <i>Chlorella vulgaris</i> microalgae for lipid extraction V. Aravinthan, N. Story and T. Yusaf (Toowoomba, Australia)	727
Simultaneous removal of nitrate, phosphate, and fluoride using a ZVI-packed bed electrolytic cell J.-Y. Jeong, Y.-H. Song, J.-H. Kim and J.-Y. Park (Seoul, Korea)	737
Nitrogen budget and effluent nitrogen components in aquaponics recirculation system A. Endut, A. Jusoh and N. Ali (Kuala Terengganu, Malaysia)	744
Ammonia nitrogen removal from aqueous solution using functionalized zeolite columns H. Wang, H. Gui (Kunming, China), W. Yang, D. Li (Geelong, Australia), W. Tan, M. Yang (Kunming, China) and C.J. Barrow (Geelong, Australia)	753
Capacitive deionization (CDI) for removal of phosphate from aqueous solution G.-H. Huang (Hsinchu), T.-C. Chen (Tainan), S.-F. Hsu (Hsinchu), Y.-H. Huang (Tainan) and S.-H. Chuang (Taichung, Taiwan)	759
Novel effective waste iron oxide-coated magnetic adsorbent for phosphate adsorption T.C. Chen (Tainan), G.-H. Huang (Hsinchu), C.-H. Liu, C.-S. Chen (Tainan), S.-H. Chuang (Taichung) and Y.-H. Huang (Tainan, Taiwan)	766
Removal of phosphate from water using raw and activated laterite: batch and column studies L. Zhang, W. Wu, J. Liu, Q. Zhou, J. Luo, J. Zhang and X. Wang (Shanghai, China)	775
Modelling of phosphorus removal by ion-exchange resin (Purolite FerrIX A33E) in fixed-bed column experiments T. Nur (Sydney, Australia), W.G. Shim (Gwangju, Korea), M.A.H. Johir, S. Vigneswaran and J. Kandasamy (Sydney, Australia)	784
Effective phosphate uptake and inhibition on <i>M. aeruginosa</i> by Friedel-based adsorbent J. Zhao, Y. Dai, Y. Lu, X. Ruan, G. Qian and Y. Xu (Shanghai, China)	791
Effect of nitrate on the degradation of bisphenol A by UV/H ₂ O ₂ and ozone/H ₂ O ₂ oxidation in aqueous solution C.G. Park, E.S. Choi, H.W. Jeon, J.H. Lee, B.W. Sung, Y.H. Cho and K.B. Ko (Seoul, Korea)	797
Reactivity of different cement minerals in presence of Fe(II) for reducing trichloroethylene P.A. Ghorpade, J.-H. Kim, W.-H. Choi and J.-Y. Park (Seoul, Korea)	805
Study on coupling with catalytic wet air oxidation and membrane separation in the treatment of cationic red GTL X.-y. Li, Y. Xu and D.-z. Sun (Beijing, China)	816
Degradation of di- <i>n</i> -butyl phthalate in aqueous solution by the O ₃ /UV process L. Wang (Tianjin, China), G.Y. Fu (Statesboro, GA, USA), B. Zhao, Z. Zhang, X. Guo and H. Zhang (Tianjin, China)	824
Decolorization of C.I. Reactive Red 2 by UV/TiO ₂ /PAC and visible light/TiO ₂ /PAC systems C.-Y. Kuo (Yunlin), C.-H. Wu and S.-T. Chen (Kaohsiung, Taiwan)	834
Performance of cabbage and cauliflower wastes for heavy metals removal M.A. Hossain, H.H. Ngo, W.S. Guo, T.V. Nguyen and S. Vigneswaran (Sydney, Australia)	844
Removal of pesticide in agricultural runoff using granular-activated carbon: a simulation study using a fixed-bed column approach A. Jusoh, S.S. Lam, W.J.H. Hartini and N. Ali (Kuala Terengganu, Malaysia)	861
Photodesorption of specific organic compounds from titanium dioxide particles in aqueous media M. Shahid, I.E. Saliby, A. McDonagh (Sydney, Australia), J.-H. Kim (Gwangju, Korea) and H.K. Shon (Sydney, Australia)	867
Removal of oxidized sulfur compounds using different types of activated carbon, aluminum oxide, and chitosan-coated bentonite M.-C. Lu (Tainan, Taiwan), M.L. Agripa (Quezon City, Philippines), M.-W. Wan (Tainan, Taiwan) and M.L.P. Dalida (Quezon City, Philippines)	873
Adsorption property of direct red brown onto acid-thermal-modified sepiolite and optimization of adsorption conditions using Box-Behnken response surface methodology C.-y. Su, W.-g. Li, X.-z. Liu and L. Zhang (Harbin, China)	880
Solidification/stabilization of heavy metals in tannery sludge char with various binders S. Oh, R. Bade, F. Li and W.S. Shin (Daegu, Korea)	889
Electrochemical reduction of trichloroethylene using zero-valent iron bipolar packed-bed electrodes J.-W. Shin, Y.-R. Park, J.-J. Kim, W.-H. Choi and J.-Y. Park (Seoul, Korea)	900
Characterization of sludge generated by electrocoagulation for the removal of heavy metals D.-G. Kim, R.J.S. Palacios and S.-O. Ko (Gyeonggi-do, Korea)	909

Effect of operating parameters on triclosan degradation by Fenton's reagents combined with an electrochemical system T. Methatham (Khon Kaen, Thailand), M.-C. Lu (Tainan, Taiwan) and C. Ratanatamskul (Bangkok, Thailand).....	920
Simultaneous removal of odourous and organic compounds in septic tanks using an electrolytic oxidation system J.-S. Kim, Y.-K. Nam (Seoul), J. Yu (Suwon) and J. Song (Seoul, Korea)	929
Effects of organic loading rate and operating temperature on power generation from cassava wastewater by a single-chamber microbial fuel cell N. Prasertsung and C. Ratanatamskul (Bangkok, Thailand).....	937
Coal seam gas water as a medium to grow <i>Dunaliella tertiolecta</i> microalgae for lipid extraction V. Aravinthan and D. Harrington (Toowoomba, Australia)	947
Climate adaptation research on the energy-saving design of gymnasiums in cold regions Lingling Li and Naihua Yue (Harbin, China)	959
The impact caused by tap water recharge on groundwater quality H.-m. Wang, Y. Wang, X. Jiao, J.-Z. Li and G.-r. Qian (Shanghai, China)	968
Effects of advanced treatments using granular activated carbon adsorption with ozonation and ultrafiltration on chlorine decay Y. Kim, J. Kweon (Seoul), D. Kim (Gyeonggi-do) and C. Lee (Ulsan, Korea)	976
Removal of turbidity from water by dissolved air flotation and conventional sedimentation systems using poly aluminum chloride as coagulant M. Khiadani (Hajian) (Joondalup, Australia, and Isfahan, Iran), R. Kolivand (Ilam, Iran), M. Ahooghalandari (Joondalup, Australia) and M. Mohajer (Isfahan, Iran)	985
Pilot study on the removal of TOC, THMs, and HAAs in drinking water using ozone/UV-BAC V.N. Trang, N.P. Dan, L.D. Phuong and B.X. Thanh (Ho Chi Minh City, Vietnam)	990
Adsorption of 2-methylisoborneol and geosmin from water onto thermally modified attapulgite C. Ma (Harbin, China, and Delft, The Netherlands), X. Zuo (Wuhan, China), W. Shi (Harbin, China), S. Yu (Harbin, China, and Delft, The Netherlands), S. Han (Henan, China), S.G.J. Heijman and L.C. Rietveld (Delft, The Netherlands)	999
Removal of algae and turbidity by floating-media and sand filtration D.-Y. Kwon, J.-H. Kwon and G.-J. Jo (Gyeongnam, Korea)	1007
Performance of the unified clarifier packed with filter media (UC-FM) as a preliminary water treatment step D.-Y. Kwon (Gyeongnam, Korea).....	1014
Characterization and theoretical analysis of isoporous cycloaliphatic polyurethane membrane for water treatment Y.-K. Choi, S.-M. Park, S. Lee, D.-Y. Khang, D.-C. Choi and C.-H. Lee (Seoul, Korea).....	1021
Effect of flux fluctuation on the fouling in membrane water treatment system for smart water grid S. Kim (Busan), J.-L. Lim (Daejeon), J.-Y. Park (Seoul) and J.-O. Kim (Gangwon-do, Korea)	1028
Treatment of high turbidity water through plain and coagulated up-flow roughing filter G. Hasnain and Z. Khan (Islamabad, Pakistan).....	1035
A study on the optimal tank design and feed type to the growth of marble goby (<i>Oxyeleotris marmorata</i> Bleeker) and reduction of waste in a recirculating aquaponic system S.S. Lam, N.L. Ma, A. Jusoh and M.A. Ambak (Kuala Terengganu, Malaysia)	1044
Improvement of lime softening treatment of secondary effluent by the addition of fly ash L. Cheng, J. Sun, F. Ni, L. Li, C. Liu and X. Bi (Qingdao, China)	1054
Reuse of briny wastewaters from the pickling process of mustard leaves in marine fish culture C.-N. Chen, S.-L. Huang (Chiayi), C.-Y. Chang (Tainan) and H.-T. Lai (Chiayi, Taiwan).....	1062
Performance of wetland roof with <i>Melampodium paludosum</i> treating septic tank effluent B.X. Thanh, P.T.H. Van, N.T. Tin, V.T.D. Hien, N.P. Dan (Ho Chi Minh City, Vietnam) and T. Koottatep (Pathumthani, Thailand)	1070
Effects of porosity on flow of free water surface constructed wetland in a physical model J.-M. Chyan (Tainan, Taiwan), F.J. Tan (Manila, Philippines), I.-M. Chen, C.-J. Lin (Tainan, Taiwan), D.B. Senoro (Manila, Philippines) and M.P.C. Luna (Zamboanga City, Philippines)	1077
Resource reuse of spent pickle acid by mineralization process J.-Y. Wu, S.-C. Wang, F.-C. Chang, W.-S. Chen (Tainan) and M.-S. Tsai (Taipei, Taiwan)	1086
Development of formaldehyde detection method using onion juice as chromogenic agent R.M. Ghazi and W.A. Ahmad (Johor, Malaysia)	1093
Solvent extraction of palladium(II) from acidic chloride extraction using tri-octyl/decyl ammonium chloride (Aliquat 336) C.-Y. Peng and T.-H. Tsai (Taipei, Taiwan)	1101
Economic risk analysis for sustainable urban development: validation of framework and decision support technique J. Lai, L. Zhang, C. Duffield and L. Aye (Parkville, Australia)	1109

Risk management of land subsidence in Shanghai H.-M. Wang, Y. Wang, X. Jiao and G.-R. Qian (Shanghai, China)	1122
The investigation of the bacterial indicators and point sources of pollution for the Nanshih River, Taiwan: a case study Y.-T. Chang (ShinLin) and Y.-J. Chang (Taipei, Taiwan)	1130
The occurrence of quinolone and imidazole antibiotics in rivers in Central Taiwan W.-N. Lee, A.Y.-C. Lin and X.-H. Wang (Taipei, Taiwan)	1143
Study of a double subsurface snow-water utilization system for the melting of snow using the waste heat of urban sewage B.-x. Xue, L. Wei, C.-h. Zhang, T.-y. Li and H. Xu (Harbin, China)	1153
Soil speciation and residue analysis for decontamination of imidacloprid: a sustainable resource management model for cotton crop U. Rafique, S. Nasreen and A. Jadoon (Rawalpindi, Pakistan)	1163
Proposal of procedure to determine metals and metalloids background values in contaminated soils. Case study of a national interest site in South Italy M. Blonda and B. Valenzano (Bari, Italy)	1171
Analysis of residues of prometryne and acetochlor in soil–water system by solid-phase extraction and gas chromatography/mass spectrometry W. Tan, X. Hu, M. Yang (Kunming, China), C.J. Barrow, W. Yang (Geelong, Australia) and H. Wang (Kunming, China)	1177
Study of the comprehensive landscaping treatment technique of saline–alkali land in Daqing based on the network of the grading of trapezoidal terrace ditches B.-x. Xue, Z.-q. Zhao, L. Wei, T.-y. Li and X.-f. Kang (Harbin, China)	1183
Variations of model performance between QUAL2K and WASP on a river with high ammonia and organic matters P.-K. Tang, Y.-C. Huang, W.-C. Kuo and S.-J. Chen (Pingtung, Taiwan)	1193
Grid-connected distributed energy generation system planning and scheduling W.S. Ho, H.Y. Chin, K.C. Wong, Z.A. Muis and H. Hashim (Johor, Malaysia)	1202
Author Index	1214