

Contents
Volume 71

| | |
|---|-----|
| Evaluation of the current state and perspective of wastewater treatment and reuse in Qatar Y. Manawi, A.K. Fard, M.A. Hussien, A. Benamor, V. Kochkodan (Qatar) | 1 |
| Saline brine desalination: application of sweeping gas membrane distillation (SGMD) L. Fatehi, A. Kargari, D. Bastani, M. Soleimani, M.M.A. Shirazi (Iran) | 12 |
| Development of a mathematical model for the prediction of concentration polarization in reverse osmosis desalination processes I.S. Al-Mutaz, F.M. Alsubaie (Saudi Arabia) | 19 |
| Evaluation of interactions among sewage sludge bioavailable metals from WWTPs using DTPA agent E. Giannakopoulos, I.K. Kalavrouziotis, H. Dimitrelos, P.H. Koukoulakis, S.P. Varnavas, F. Papadopoulos (Greece) | 25 |
| Theoretical and experimental studies of direct contact membrane distillation modules with inserting W-shaped carbon-fiber spacers Chii-Dong Ho, Luke Chen, Jing-Yuan Lai (Taiwan), Choon Aun Ng (Malaysia) | 32 |
| Foulant analysis of hollow fine fiber (HFF) membranes in Red Sea SWRO plants using membrane punch autopsy (MPA) T.N. Green, I. Al-Tisan, M. Rahman, Y. Al-Jehani, A.-M. Al-Hakamy (Saudi Arabia) | 45 |
| Single and binary adsorption of iron and manganese in synthetic water using activated pumice composites: effect of monovalent and divalent ions, desorption and reuse isotherms D.Çifçi, S. Meriç (Turkey) | 52 |
| Optimal modification of poly(vinylidene fluoride) membrane surface by using surface-modifying macromolecules for application in membrane distillation R. Shoaie, J. Karimi-Sabet, S.M.A. Mousavian, P. Khadiv-Parsi, R. Moradi (Iran) | 62 |
| Effect of primary sludge to waste activated sludge mixing ratio on anaerobic digester performance A.M. Yeneneh, T.K. Sen, A. Kayaalp, Ha Ming Ang (Australia) | 79 |
| A new concept for cosmetic wastewater treatment by a suitable classification and separation system M.-L. Schirmer, A. Melzer, L. Ritzenhofen, M. Nagel, J. Tränckner (Germany) | 85 |
| Pretreatment of cosmetic wastewater by dissolved ozone flotation (DOF) P.R. Wiliński, P.P. Marcinowski, J. Naumczyk, J. Bogacki (Poland) | 95 |
| Continuous removal of toxic nickel from industrial wastewater by flotation-adsorption with multi-walled carbon nanotubes: kinetic and adsorption isotherms M.H. Dehghani, B. Karimi, A. Rafieepour (Iran) | 107 |
| Removal of some types of polyphenols and aromatic amines in textile industry wastewaters by nanocerium-dioxide-doped titanium dioxide D.T. Sponza, R. Oztekin (Turkey) | 116 |
| Removal of heavy metal ions from wastewater samples using electron beam radiation in the presence of TiO ₂ N. Dalali, M. Kazeraninejad, A. Akhavan (Iran) | 136 |
| Blackwater treatment via combination of sedimentation tank and hybrid wetlands for unrestricted reuse in Egypt H.I. Abdel-Shafy, M.A. El-Khateeb, M. Shehata (Egypt) | 145 |
| Treatment of ointment pharmaceutical wastewater by electrocoagulation process S. Khalidi, H. Lounici, M. Drouiche, N. Drouiche (Algeria) | 152 |
| Synergistic effect of activated carbon and ultrasonic irradiation on persulfate activation Ying Wang, Jiabin Chen, Tianyin Huang, Chengyao Wei (China) | 159 |

| | |
|---|-----|
| Activated carbon from avocado seeds for the removal of phenolic compounds from aqueous solutions A.J.B. Leite (Brazil), C. Sophia A. (India), P.S. Thue, G.S. dos Reis, S.L.P Dias, E.C. Lima, J.C.P. Vaghetti, F.A. Pavan, W.S. de Alencar (Brazil) | 168 |
| Kinetics of divalent mercury reduction by zero-valent iron: the effects of pH, chloride, and dissolved organic carbon Go-Un Nam, Seunghee Han, Yongseok Hong (Korea) | 182 |
| Preparation of triethanolamine functionalized carbon nanotube for aqueous removal of Pb(II) Na Chen, Jie Teng, Fei-Peng Jiao, Xin-Yu Jiang, Xin Hao, Jin-Gang Yu (China) | 191 |
| Effect of KMnO ₄ treating of granular activated carbon on the removal of natural organic matter D. Rathnayake, S.M. Korotta-Gamage, G. Kastl, A. Sathasivan (Australia) | 201 |
| Assessment of marine dredged materials taken from Turkey's ports/harbors in landscaping B. Güzel, H.M. Başar, K. Güneş, S. Yenisoy-KarakAŞ, D. KarakaŞ, L. Tolun (Turkey) | 207 |
| Preparation, characterization, equilibrium and kinetics studies of a molecularly imprinted polymer for selective recognition of dicamba from aqueous samples T. Beyki, M.J. Asadollahzadeh, M. Jahanshahi (Iran) | 221 |
| The treatability of landfill leachate by direct contact membrane distillation and factors influencing the efficiency of the process A. Zoungrana, İ. H. Zengin, H. Elcik, B. Özkaya, M. Çakmakci (Turkey) | 233 |
| The extent of change in the physicochemical characteristics and pollutants sequestration of date palm stones after microemulsion modification N.M.A. Al Lagtah (UAE and Singapore), M.N.M. Ahmad (Lebanon), A.B. Albadarin (Ireland and UK) | 244 |
| Toward energy efficient reverse osmosis polyamide thin film composite membrane based on diaminotoulene M. Said, S. Ebrahim, A. Gad, S. Kandil (Egypt) | 261 |
| Efficiency of zero valent iron in the modified Fenton process for the reduction of excess sludge and the key role of citric acid through deflocculation V. Amudha, J. Rajesh Banu (India), Ick Tae Yeom (Korea) | 271 |
| Preparation and properties of electric-sensitive poly(vinyl alcohol)/poly(acrylic acid) IPN hydrogels as draw agent for forward osmosis Hongtao Cui, Hanmin Zhang, Fenglin Yang (China) | 280 |
| Dynamic simulation of spherical particle settling in quiescent water S. Balasubramanian, K. Suresh, R. Karthikeyan (India) | 289 |
| High performance in power generation by pressure-retarded osmosis (PRO) from hyper-salinity gradient: case study of hypersaline Lake of Urmia, Iran H. Sharifan (USA), H.T. Madsen (Denmark), A. Morse (USA) | 302 |
| Nutrient uptake and fruit quality in a nectarine orchard irrigated with treated municipal wastewaters G.A. Vivaldi, A.M. Stellacci, C. Vitti, P. Rubino (Italy), F. Pedrero (Spain), S. Camposeo (Italy) | 312 |
| Production of physically and chemically modified biomass of corncob and its applications for the removal of Co(II) ion from its aqueous solution: optimum conditions determination R. Nadeem, M. Naeem, H. Zafar, R. Gill, G. Yasmeen, Q.M. Khan (Pakistan) | 321 |
| Cadmium removal from aqueous solutions using <i>Moringa oleifera</i> seed pod as a biosorbent M. Khorsand, S. Dobaradaran, E. Kouhgardi (Iran) | 327 |
| A kinetic study of heavy metals removal from contaminated marine sediment with chelating agents Chiu-Wen Chen, Te-San Chen, Yu-Chieh Lin, J.C.M. Kao, Cheng-Di Dong (Taiwan) | 334 |
| Adsorption of Ni(II) by a polyvinylidene fluoride-type chelating membrane bearing poly(aminophosphonic acid) groups Xiuli Wang, Laizhou Song, Feifei Yang, Dandan Yun, Jinbo Wang, Hongye Lu (China) | 343 |
| Synthesis and characterization of <i>N</i> -succinyl- <i>O</i> -carboxymethyl chitosan for Pb(II) ions adsorption Qingping Song, Chongxia Wang, Jiangang Gao, Yujie Ding (China) | 359 |
| Evaluation of soils for attenuation and retention of Zn (II) ions from aqueous solution H. Jalayeri, M.M. Salarirad, M. Ziaei (Iran) | 369 |
| Using Fe magnetic nanoparticles for reducing evaporation from water surface in small scale M.R.P. Omolbani, N. Zarindast, N. Mir, A.A. Dehghani (Iran) | 380 |
| Heterostructured Ti-doped ZnO/Ag metal: an efficient photocatalyst for dye degradation in sunlight S. Kanade, D.R. Shinde, K.G. Kanade (India) | 388 |

| | |
|---|-----|
| Fast adsorptive removal of methylene blue dye from aqueous solution onto a wild carrot flower activated carbon: isotherms and kinetics studies M. Mahadeva Swamy, B.M. Nagabhushana, R. Hari Krishna, N. Kottam, R.S. Raveendra, P.A. Prashanth (India) | 399 |
| Photocatalytic degradation of Eriochrome Black-T by the Ni:TiO ₂ nanocomposites A. Kumar, G. Pandey (India) | 406 |
| Author Index | 420 |