

## Corrigendum

### Pilot-scale drinking water treatment plant: effects of disinfection alternatives and filtration systems

Tarek A. Gad-Allah<sup>a</sup>, Mohamed I. Badawy<sup>a</sup>, Azza M. Abdel-Aty<sup>a</sup>, Rizka K. Ali<sup>a</sup>,  
Hazem Saleh<sup>b</sup>, Yeomin Yoon<sup>c</sup>, Mohamed E.M. Ali<sup>a\*</sup>

<sup>a</sup>Department of Water Pollution Research, National Research Centre, 33 El Bohouth Street (former El Tahrir Street), Dokki, Giza, P.O. 12622, Egypt, Tel./Fax: +20 33371499;  
emails: alieno81@yahoo.com (M.E.M. Ali), tareqabdelshafy@yahoo.ca (T.A. Gad-Allah), badawy46@hotmail.com (M.I. Badawy), azzamy@hotmail.com (A.M. Abdel-Aty), rizka.kamel@yahoo.com (R.K. Ali)

<sup>b</sup>Department of Civil Engineering, Faculty of Engineering, Menoufia University, Menoufia, Egypt, email: hazemsaleh1@hotmail.com

<sup>c</sup>Department of Civil and Environmental Engineering, University of South Carolina, 300 Main Street, Columbia, SC 29208, USA, email: yoony@cec.sc.edu

In the original version of the article "Pilot-scale drinking water treatment plant: effects of disinfection alternatives and filtration systems" published in vol. 85 (2017) pp. 16–24 (DOI: 10.5004/dwt.2017.21250) affiliation 'a' appears incorrectly as 'Water Chemistry Lab, Department of Water Pollution Research, National Research Centre'. The correct affiliations is 'Department of Water Pollution Research, National Research Centre'.